	2. REQUIREMENT OF HOMOEOPATHIC (See sub regulation (a) and (b) of regulation 5, sub-	COLLEGIATE HOSPITAL regulation (a) of regulation 9)
3.	General	Yes
1.1.	OPD: Patient waiting Area, consultation	i es
	room or examination room, first aid kit	Yes
1.2.	Indoor wards	Yes
1.3.	Operation Theatre	Yes
1.4.	Laboratories	Yes
1.5.	Registration certificate from Pollution	1 es
	control board	Yes
1.6.	Clearence permission from concerned state or	103
	Union Territory or local authority to establish or run the hospital.	

OPD Area: Patient waiting Area, consultation room or examination room, first aid kit 1.7. (See sub-clause 4.(a) of sub-regulation 4 of Schedule- II of regulation 5 and regulation 9) Furniture/Fixture/Equipments Requirements for OPD

Sr.	Name of the Equipment	For 30 beds	Available
No.	Room with well- lighted and ventilated and equipped with a chair and a table for doctor	l per consultation room	Available
ii.	X-ray viewer	1 per consultation room	Available
iii.	Two chairs for patients and attendants	1 set per consultation room	Available
iv.	An examination table of 6 ft. X 2.5ft.With privacy screen	1per consultation room	
v.	Blood pressure apparatus	1per consultation room	Available
vi.	Stethoscope	1per consultation room	Available
vii.	Torch	1 per consultation room	Available
viii.	Thermometer	1 per consultation room	Available
ix.	Weighing machine.	1per consultation room	Available

, X.	Essential diagnostic tools required for examination of patients as per the scope of	As per requirement	Available
	services offered by the hospital.		
xi.	Light source which gives light colour and temperature similar to solar light, Light intensity of atleast 500 lux at the point of examination	As per requirement	Available
xii.	computers	1 per consultation room	
XV.	Adequate lockable storage space	As per requirement	Available
xvi.	Foot stools	1 per consultation room	Available

1.8.	Periphe	
Sr. No	Particulars	Available No.
i.	Maximum of 10 peripheral of Ds may oc	0
	established in teaching hospitals Registers-information Space for Post	
ii.	Graduate students, discussion rooms, Post	
	Graduate Teaching faculty room and	
	Departmental Library -90 sq. mtr.should be	
	maintain on daily central OPD and No. of	
	referrals from Peripheral OPDs	
iii.	Case records shall be clubbed with records	 -
1111	CORD in callegiate hognitals	- ODD 6
1.9.	Space Requirement: Hospital shall be sui	tably spacious to accommodate to OPD &
	IPD in addition to	following namely:-
	Reception, patients, waiting area, dispensing	Available
	room, clinical laboratory, radiology section,	
	medical record room, operation theatre,	
	labour room, store room, separate wards for	
	male & female, duty room for doctors,	
	nurses, other staff and clinical teaching room	
1.10.	Record Maintenance: computerized central	Available
	registration system for maintaining records	
	of OPD & IPD (Department wise)	

1.11.	Medical record management and	Available	Verified
	Disposal:		
	Digitalized Medical records atleast for past	Available(5 Year)	
	ten years		
	Medical records in Hard copy-for IPD case sheets for 5 years	Available	
	For OPD registers and duplicate record if any (for 5 years)	-	
	Medico legal registers and case sheets-10	0	
1.12.	MoU with nearby multispeciality hospital	of Modern Medicine for	· following facilities
	Operation theatre, labour room, intensive care unit, and other required facilities for	Available	
	emergency cases. Radiological (CT Scan, MRI, USG) and special lab investigation.	Available(MOU)	
1.13.	Indoor Patient Department:		
a.	Wards and rooms for inpatient department	Required	Available
	General Medicine	50% (Acute 10% and Chronic 40%)	Available
	Surgery	20%	Available
	Obstetrics & Gynecology	20%	Available
	Paediatrics	10%	Available
	Toilets and bathrooms (separate for male & f	female)	Available
	Doctors duty room	Available	
	Nursing stations or duty room for nurses		Available
	Pharmacy with essentials medicines		Available
	Record room		Available

Page 3 | 80

Inspectors/Visitor signature: (1)

(2)

b. Furniture/Fixture Requirements for IPD mentioned in table below: -

(See sub-clause 9.(b) of sub-regulation 9 of Schedule- II of regulation 5 and regulation 9)
Furniture/Fixture Requirements for IPD

Sr. No	Name of the Equipment	For 30 Bed	s	Available	
1.	Iron beds(simple, surgical & pediatrics)	30		50	
2.	Adequate wall or steel Cupboards	4	5	5	
4.	Backrest	4		03	
6.	Bed side cabinets	1per 5 patien	ts	Available	
7.	Bedside Screen	l per ward of full length curtains between the beds		Available	
8.	Bucket Plastic	12	Avail	able	
9.	Ceiling Fans	As per requirement	Avai	ilable	
10.	Clock1perward	l per ward		ilable	
11.	Containers for kitchen	As needed		ila <u>b</u> le	
12.	Doctor's chair for OP and ward,	As needed			
13.	Doctor's or Office table	3	Available		
14.	Dressing trolley-1 per floor/ ward depending on layout	4		ilable ·	
15.	Dust bins in each ward and consultation room	6		ilable	
16.	Duty table for nurses	8		ilable	
17.	Emergency resuscitation kit	1 per floor	Ava	ilable	
18.	Enema Set	4	4		
19.	Fire extinguisher –	ABC 1 per	Ava	ilable	
		ward or floor based on layout			
23.	Hospital Cots	100			
24.	Hospital Cots Pediatric	10			

Page 4 | 80

Inspectors/Visitor signature: (1)

(2)

25.	Hot Water Bags 2 per	2 per ward	Ava	nilable
1 23.	ward			
26.	Ice bags	2 per ward		nilable
27.	Hot Water geyser	2 per ward		ailable
28.	I V Stands - 2 per 10 beds	20		ailable
30.	Kidney Trays1 per 5 beds	40		ailable
31.	Kitchen utensils,	Adequate		ailable
33.	Medicine trolley	1 per ward		ailable
34.	Office chairs	8		ailable
35.	Office Table	6		ailable
36.	patient Beds with side	20% of total	Av	ailable
50.	rails	beds		
	-			
38.	Patient locker	1 per bed		Available
40.	Patients side table	1 per bed		Available
40.				Available
41.	Pediatric cots with	as per scope	01	Available
	railings as per scope of	services		
	services	16		Available
42.	Steel or Wooden	16		Available
	cupboard	10		Available
43.	Steel rack	10		Available
44.	Stool 1Per bed	Ů,		Available
45.	Stools revolving - 1 per	2 per ward	1	Available
	ward		1	Available
46.	Stretcher or Patient	1 per ward	1	Available
	trolley – 1 per ward	20		Available
47.	Urinal Male and	20		Available
	Female	500/ -54	ha	Available
48.	waiting chairs or	50% of the		Avanabio
	benches for patients	bed strengt	115	
	relatives			
		1 per war	d	Available
49.	Weighing Machine	2 per 50 be		Available
50.	Wheel chair	2 per 30 be	us	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		mor 11/2	rd	Available
51.	X-ray viewer	one per wa	uu	4

Page 5 | 80

Inspectors/Visitor signature: (1)

(2)

c.

Requirements for In-Patient Department (IPD) mentioned in table below

(See sub-clause 9.(c) of sub-regulation 9 of Schedule- II of regulation 5 and regulation 9) Equipment's Requirements for In-Patient Department (IPD) (en circle sanctioned bed strength)

Sr. No	Name of the Equipment	For 30 Beds	Available
1.	Ambu bags	6	Available
3.	Autoclave Drums	6	Available
4.	Back rest	4	Available
6.	Bed pans, 1 per 5patients	6	Available
7.	Biomedical waste colour coded bins	One set each per floor	Available
8.	Cheatle forceps assorted sizes	8	Available
9.	Clock per ward	1 per ward	Available
10.	Containers for kitchen	As required	Available
11.	Dressing trolley-1per floor/ ward depending on layout	1 per ward	Available
12.	Dust bins in each ward And consultation room	1 per ward	Available
13.	Emergency Resuscitation kit	1 per floor	Available
14.	Enema Set	As required	Available
17.	Hot Water Bags 2 Per ward	2 per ward	Available
18.	I V Stands - 2 per 10beds	2 per 10 beds	Available
19.	Infra-Red lamp	5	Available
20.	Instrument tray— minimum1perward	minimum 1 per ward	Available
21.	Instrument trolley – 1 per ward	minimum 1 per ward	Available
23.	Kidney Trays-1 per 5 beds	1 per 5 beds	Available
24.	Medicine trolley	minimum 1 per ward	Available
25.	Needle cutter – 3 Per ward	3 per ward	Available
26.	Non mercury Thermometer clinical – 1 perward	1 per ward	Available
27.	O2cylinderwithspanner – 1perward	1 per ward	Available

Page 6 | 80

Inspectors/Visitor signature: (1)

(2)

				1
1	29.	Sphygmomanometers	1 per ward	Available
1		Stand Type1 & Portable		
1		(aneroid or Digital) Type 1 -		
-		1per ward		
ı	30.	Stretcher/Patient trolley -	1 per ward	Available
		lper ward		· .
-	31.	Weighing Machine - 1per	1 per ward	Available
		ward		

32. X-ray viewer – one per 1 per ward ward	Available
--------------------------------------------	-----------

1.14.	Bed and Out Patient Department strength mentioned in table below:				
Sr. No	Intake capacity per year	Minimum number of beds in IPD	Minimum per Available day average No. of patient in		ible
	No. of PG seats sanctioned and 1 bed is earmarked		OPD during last one calendar year (300 days)		
	Upto 60 students	30	180		
	61-100 students	50	300		
1.15.	Hospital pharmacy with wel	l furnished disper	nsaries	Required	Available
	Staff:-	Pha	armacist	01 02	

(2)

Page 7 | 80



1.16.

Emergency unit: shall be managed under supervision of general physician (Schedule II)- Emergency Equipment and drugs are mentioned below in table.

(See sub-clause 12.(a) of sub-regulation 12 of Schedule- II of regulation 5 and regulation 9)

Emergency Equipments

Name of the equipment	For 30 bed	Available
Emergency equipment box For first aid and Basic Life Support Skill	Minimum l	Available
Crash- Cardtrolley:1	Minimum 1	Available
Disposable syringes	As needed	Available
Ambu Bag:1	Minimum 1	Available
Sealed battery cell	Minimum 1	Available
Endotracheal tubes	As needed	Available
Monitor	As needed	Available

D.	(See sub-clause (ii) 12.(b) of sub-regulation 12 of Schedule- II of regulation 5 and regulation		
	9) Emergency Drugs		

Sr.no	Name of the drug	Strength	Minimum quantity	Available
1.	Inj. Adrenaline	As per I.P	Minimum 10 Ampules	Available
2.	Inj. Atropine	As per I.P	Minimum 10 Ampules	Available
4.	Inj. Dopamine	As per I.P	Minimum 10 Ampules	Available
5.	Inj. Dobutamine	As per I.P	Minimum 10 Ampules	Available
6.	Inj. Nitro-glycerine	As per I.P	Minimum 10 Ampules	Available
7.	Inj. Sodium Bicarbonate	As per I.P	Minimum 10 Ampules	Available
8.	Inj. Hydrocortisone	As per I.P	Minimum 10 Ampules	Available
11.	Inj. Frusemide	As per I.P	Minimum 10 Ampules	Available
12.	Inj. Diazepam/Midazolam	As per I.P	Minimum 10 Ampules	Available

Inspectors/Visitor signature: (1)

Page 8 | 80

13.	Inj. Deriphyllin	As per I.P	Minimum 10 Ampules	Available
14.	Inj. Phenytoin sodium	As per I.P	Minimum 10 Ampules	Available
15.	lnj. Avil	As per I.P	Minimum 10 Ampules	Available
16.	Inj. Ondansetron	As per I.P	Minimum 10 Ampules	Available
17.	Inj. KCl	As per I.P	Minimum 10 Ampules	Available
18.	Inj. Lignocaine2%	As per I.P	Minimum 10 Ampules	Available
19.	Inj. Amiadarone	As per I.P	Minimum 10 Ampules	Available
20.	Inj. Magnesium sulphate	As per I.P	Minimum 10 Ampules	Available
21.	Inj. Mannitol	As per I.P	Minimum 10 Ampules	Available
23.	Inj. Noradrenaline bititrate	As per I.P	Minimum 10 Ampules	Available
25.	Water for Injection	As per I.P	Minimum 10 Ampules	Available
27.	Inj. Voveran	As per I.P	Minimum 10 Ampules	Available
28.	Inj. Paracetamol	As per I.P	Minimum 10 Ampules	Available

Page 9 | 80

1.17.

Central laboratories: - the college shall have facility of scanning and nosography equipment in own hospital or under MOU with NABL accredited superspeciality Hospital

Sr. No	To be bea		Available
i.	Alarm clock	1 Per	Available
		Area/Ward	
iii.	Auto analyzer or Semi	Optional	Available
	auto analyzer		
iv.	Auto clave	Minimum 1	Available
V.	Binocular Microscope	Minimum 1	Available
vi.	Biochemistry analyser	Minimum 1	Available
viii.	Counting chamber	Minimum 1	Available
ix.	Electric Colorimeter	Minimum 1	Available
х.	Centrifuge Machine	Minimum 1	Available
xii.	ESR stand with tubes	Minimum 1	Available
xiv.	Glucometer	1 Per	Available
		Area/Ward	
xv.	Hematology Analyser or	Minimum 1	Available
	Cell Counter		
xvi.	Haemoglobinometer	Minimum 1	Available
xviii.	Hot air oven	As needed	Available
XX.	Lab Incubator	As needed	Available
xxi.	Laboratory AutoClaves	As needed	Available
xxii.	Micro pipette of different	As needed	Available
1	volumes		
xxiv.	Refrigerator	Minimum 1	Available
xxviii.	TCDC count apparatus	As needed	Available
xxix.	Testtube holders	As needed	Available
xxx.	Testtube rack	As needed	Available
xxxi.	Test tube stands	As needed	Available
xxxii.	Timer stopwatch	As needed	Available
xxxiv.	Water bath	As needed	Available

Page 10 | 80

Inspectors/Visitor signature: (1)

Sr.	Name of the Equipment	For 30 bed	Available
No.			
1.	Anterior vaginal Wall retractor	Adequate	Available
2.	Artery forceps	Adequate	Available
3.	Auto Clave HP Vertical (2bin)	Minimum 1	Available
4.	Autoclave equipment for sterilization/Sterilizer	Minimum 1	Available
5.	Bladder sound (Urethral dilators)of different sizes	Minimum 1	Available
6.	Cusco's Speculum	As needed	Available
8.	Disposable syringes (5-10cc)	As needed	Available
9.	Enema Pot	Minimum 1	Available
10.	Focus lamp Ordinary	Minimum 1	Available
11.	Foley's Catheter	As needed	Available
	Instrument Set Piles, Fistula, Fissure		
14.	Instrument Trays of Various Sizes	Adequate	Available
15.	Instrument Trolley	As needed	Available
16.	IV stands	As needed	Available
17.	Kidney tray	As needed	Available
18.	Knife and scissor 1 each	As needed	Available
20.	Magill's forceps (two sizes)	Adequate	Available
22.	Operation table Hydraulic Minor with stand	Minimum 1	Available
23.	OT Spotlight (Shadow less ceiling fitted/stand mounted)	Minimum 1	Available
24.	Oxygen Cylinder	Minimum 1	Available
25.	Oxygen Mask with Circuit	Minimum 1	Available
26.	Plastic aprons, gloves and mask	Adequate	Available
27.	Shadow less lamp ceiling type major or minor	1	Available
29.	Sims speculum in small, medium and large size	Adequate	Available
30.	Sphygmomanometer	Minimum 1	Available
31.	Sterile cotton	As needed	Available
32.	Sterile gloves	As needed	Available
33.	Sterilizer Small (Instruments)	As needed	Available
34.	Sterilizer big(Instrument)	As needed	Available

(2)

Page 11 | 80



35.	Sterilizer Medium	Minimum 1	Available
	(Instrument)		Ï
36.	Stethoscope	Minimum 1	Available
37.	Suction Apparatus -	Minimum 1	Available
	Electrical		
38.	Suturing Set	Minimum 1	Available
39.	Swab holders	Minimum 1	Available
40.	Thermometer	Minimum 1	Available
41.	Tongue depressors	Minimum 1	Available
42.	Toothed forceps	Minimum 1	Available
43.	Two long(8inch) and two	Minimum 1	Available
	short (6inch) Artery		
	forceps		
44.	Two Uterine sound	Minimum 1	Available
45.	Urethral Dilator Set	Minimum 1	Available
16	X7 : 1D		
46.	Vaginal Examination set	Minimum 1	Avoilable

46.	Vaginal Examination set	Minimum 1	Available
47.	Vulsellum	Minimum 1	Available

1.19.	See sub-clause 16. (b) of sub-regulation 16 of Schedule-II of regulation 5 and regulation Equipment requirements for Anaesthesia

Sr. No.	Name of the Equipment	For 30 beds	Available
2.	Anaesthesia Trolley /Boyle's Apparatus	Minimum 1	Available
7.	Endotracheal tube sets	Minimum 1	Available
8.	Magill's forceps (two sizes)	Minimum 1	Available
9.	Mouthprop	Minimum 1	Available
13.	Tongue depressors	Adequate	Available
14.	Tubes connecting for ETT	Adequate	Available

1.20.	Rehabilitation unit 9including physiotherapy and yoga facilities-equipment or instruments for physiotherapy are specified below: -

S. No			
-	Instruments	Required	Available
	Traction (cervical & lumbar)	01	Available
	Physiotherapy cycle	01	Available
1.	Transcutaneous Electrical nerve Stimulation	01	Available
		01	Available

(2)

Page 12 | 80



Imaging Equipments

Sr. No.	Name of the Equipment	For 30 beds	Available
1.	300 M.A. X-ray machine/ Digital X-Ray machine	01	Available
	department should be having a separate ultrasound machine of its own)	understanding with super specialty hospital	
3.	Echocardiogram	01	Available
4.	X-ray developing tank	Minimum 1	Available
5.	Safe light X-ray darkroom	Minimum 1	Available
6.	Cassettes X-ray	Minimum 1	Available
7.	Lead apron	Minimum 1	Available
8.	Intensifying screen X -ray	Minimum 1	Available
12.	X-ray lobby single	Minimum 1	Available

1.22.	Hospital waste management system	Available/Not Available
1.23.	Ambulance	Available
1.25.	Ramp for patients with disability	Available
1.26.	Wheel chairs & stretchers in the porch or visiting area	Available
1.27.	Registers in hospital department and laboratory namely	Available
	Dead stock register	Available
	Equipment or instruments register	Available
	Indent register	Available
	Chemicals or solutions register	Available
	Breakage register	Available
	Medicines store register	Available
	Medicine dispensing register	Available
	Attendance register	Available

	Verification by Visitation team:	
1. The OPD/IPD registers		Available/Not Available

Page 13 | 80

Inspectors/Visitor signature: (1)

(2)

/		Yes
F 2.	Case records maintained manually in the records room	
	IPD cases are randomly examined with their OPD referral	Yes
3.	registration number and lab registers	
4.	Record of Casualty cases verified with central OPD registration	Yes
۳.	number	
-	The OPD/IPD case records are completed in respect of totality	Yes
5.	of symptoms, diagnosis, reportorial totality, analysis and	
	evaluation of case, diet advise with proper prescription and	
	evaluation of case, diet advise with proper protestion	
	further follow up the case with all necessary blood/radiological	
	investigations	Yes
6.	The OPD/IPD case records are completed in respect of	165
	demographic data eg. Name, Age, Sex, Address, Contact No and	
	with name of attending doctor and proper diagnosis of the case	
	as per ICD criteria	1/00
7.	Average No. of Patients registered in OPD (per day)	YES
8.	Average No. of Patients registered in IPD (per day)	YES
8.	(P X 100 /365 X bed)	
	(P = Total number of inpatient days (Total of daily inpatients on beds)	

Visitor:		
(1)	(2)	(3)
Date:		

Page 14 | 80